

FIGURE 9.27 A simple microscope; (a) the magnifying lens is located such that the image is at the near point, (b) the angle subtanded by the object, is the same as that at the near point, and (c) the object near the focal point of the lens; the image is far off but closer than infinity.

near the object, one focal length away or less, and the eye is positioned close to the lens on the other side. The idea is to get an erect, magnified and virtual image of the object at a distance so that it can be viewed comfortably, i.e., at 25 cm or more. If the object is at a distance f, the image is at infinity. However, if the object is at a distance slightly less than the focal length of the lens, the image is virtual and closer than infinity. Although the closest comfortable distance for viewing the image is when it is at the near point (distance $D \cong 25$ cm), it causes some strain on the eye. Therefore, the image formed at infinity is often considered most suitable for viewing by the relaxed eye. We show both cases, the first in Fig. 9.27(a), and the second in Fig. 9.27(b) and (c).

The linear magnification m, for the image formed at the near point D, by a simple microscope can be obtained by using the relation

$$m = \frac{v}{u} = v\left(\frac{1}{v} - \frac{1}{f}\right) = \left(1 - \frac{v}{f}\right)$$

Now according to our sign convention, v is negative, and is equal in magnitude to D. Thus, the magnification is

$$m = \left(1 + \frac{D}{f}\right) \qquad (9.39)$$